# CACHFIRES

## **FOCO TWO 800 MEDIUM**

BIO-30-139

Foco Two 800 Medium is a 2-sided built-in bioethanol fireplace designed to be seen from both the front and one side. Measuring 80 cm wide and 30 cm deep, it's ideal for contemporary homes wanting to enjoy the flame from two angles. Choose a manual burner for simple, efficient use or upgrade to the Planika BEV 700 automatic burner for added convenience and control. With a powder-coated steel body and tempered glass panels, it offers a sleek and safe solution for modern living spaces.

### **TECHNICAL SPECIFICATIONS**

#### **Burner - Features**

| Minimum room size  | 70 cubic metres    |
|--------------------|--------------------|
| Adjustable flame   | Yes                |
| Control            | Manual             |
| Burner Model       | 3.5 Litre Superior |
| Flame length       | 45 cm              |
| Burning time up to | 7.5 hours          |
| Remote control     | Yes (add-on)       |
| Capacity           | 3.5 Litres         |
| Power requirements | Yes                |
| Power requirements | No                 |
| Heat output (max)  | 3,2 kW             |
| Consumption        | 0.46 L/h           |



| Length/Width | 80 cm |
|--------------|-------|
| Height       | 50 cm |
| Depth        | 30 cm |
| Weight       | 25 kg |

#### **Appearance**


| Material        | Steel |
|-----------------|-------|
| Steel Thickness | 4 mm  |
| Colour          | Black |
| Glas included   | Yes   |


#### **Type**

| Type                        |  |
|-----------------------------|--|
| Product type                | See-through Built-in Bioethanol<br>Fireplace |
| Fuel                        | Bioethanol                                   |
| Brand                       | Foco   |
| Flue/Chimney                | Not Required                                 |
| Use                         | Indoor                                       |
| Flame view                  | Room Divider                                 |
| Warranty                    | 2 years                                      |
| Recommended air change rate | 1  |
|                             |  |



## Automatic burner 700





# Superior Manual 600

