CACHFIRES

TEXAS STEEL - WALL MOUNTED BIOETHANOL FIREPLACE BIO-10-063

Elegant wall-mounted bioethanol fireplace with a brushed steel finish. Featuring a 1.5-liter slimline burner in this bio fireplace, it provides up to 3 hours of burn time per fill. The flame size can be easily adjusted with the included tool, and the fireplace requires no chimney or electricity. With a heat output of 3 kW, the Texas fireplace can heat 10-20 square meters depending on insulation. Easy to mount on any wall type, this fireplace is designed to be both stylish and functional.

TECHNICAL SPECIFICATIONS

Key Specifications

| Product type | Wall-mounted Bioethanol Fireplace |
|--------------|--------------------------------------|
| Brand | ScandiFlames |
| Included | Screws |
| Included | Glass |
| Included | Extinguishing Tool |
| Included | Bioethanol Burner |
| Included | User guide |
| Included | Bracket |
| Use | Indoor |
| Warranty | 2 years |

Dimensions & Weight

| Length/Width | 90 cm |
|--------------|---------|
| Height | 45 cm |
| Depth | 12,1 cm |

Technical Specifications

| Minimum room size | 60 m³ |
|--------------------|------------|
| Fuel | Bioethanol |
| Burning time up to | 3 hours |
| Capacity | 1.5 Litres |
| Heat output (max) | 3 kW |
| Consumption | 0.5 L/h |

Burner Specifications

| Adjustable flame | Yes |
|------------------|--------|
| Control | Manual |
| Flame length | 40 cm |
| Remote control | No |

Steel Steel Yes

Material and Appearance

| Material |
|---------------|
| Colour |
| Glas included |





Installation Details

| Distance to Combustible Materials | 50 cm |
|--------------------------------------|--------------|
| Flue/Chimney | Not Required |
| Power Requirements | No |

